

GLASSVIT.




Partition wall systems / Trennwand-Systeme
Supports d'auvent / Scheidingswandsystemen



304
V2A




Glass-fixation hexagon socket screw M8, stainless steel
 Glasbefestigungsschraube M8 mit Innensechskant, V2A
 Vis de fixation verre - M8 - six pans creux, inox
 Glasbevestigingsschroef M8 met binnenzeskant, RVS

Art.Nr.	glass / Glas / verre / glas
19.0280.008.12	8 - 10 mm




Glass-fixation screw M8, stainless steel
Glasbefestigungsschraube M8, V2A
Vis de fixation verre M8, inox
Glasbevestigingsschroef M8, RVS

Art.Nr.	glass / Glas / verre / glas
19.0281.008.12	8 - 10 mm



T-nut 10 mm, with spring plate, aluminium, incl. screw M8 x 16 mm
Nutenstein 10 mm, mit Federblech, Aluminium, mit Schraube M8 x 16 mm
Coulisseau à rainure 10 mm, lame à ressort, aluminium, avec vis M8 x 16 mm
T-bout 10 mm, met veerplaat, aluminium, met bout M8 x 16 mm

Art.Nr.
44.0101.010.00




GLASSVIT.

Partition wall systems / Trennwand-Systeme
Supports d'auvent / Scheidingswandsystemen




Slot-profile oval, 4 slots, aluminium anodized
Nut-Profil oval, 4 Nuten, Aluminium eloxiert
Profil ovale, 4 gorges, aluminium anodisé
Gleuf-profiel oval, 4 gleuven, aluminium geanodiseerd

Art.Nr.	L
44.0904.104.46	5000 mm
44.8904.104.46	cutted / zugeschnitten / coupé / gezaagd




Slot-profile round, 1 slot, aluminium anodized
Nut-Profil rund, 1 Nut, Aluminium eloxiert
Profil rond, 1 gorge, aluminium anodisé
Gleuf-profiel rond, 1 gleuf, aluminium geanodiseerd

Art.Nr.	L
44.0900.050.46	5000 mm
44.8900.050.46	cutted / zugeschnitten / coupé / gezaagd




Slot-profile round, 2 slots 90°, aluminium anodized
Nut-Profil rund, 2 Nuten 90°, Aluminium eloxiert
Profil rond, 2 gorges 90°, aluminium anodisé
Gleuf-profiel rond, 2 gleuven 90°, aluminium geanodiseerd

Art.Nr.	L
44.0901.050.46	5000 mm
44.8901.050.46	cutted / zugeschnitten / coupé / gezaagd




Slot-profile round, 2 slots 180°, aluminium anodized
Nut-Profil rund, 2 Nuten 180°, Aluminium eloxiert
Profil rond, 2 gorges 180°, aluminium anodisé
Gleuf-profiel rond, 2 gleuven 180°, aluminium geanodiseerd

Art.Nr.	L
44.0902.050.46	5000 mm
44.8902.050.46	cutted / zugeschnitten / coupé / gezaagd



Slot-profile round, 3 slots, aluminium anodized
Nut-Profil rund, 3 Nuten, Aluminium eloxiert
Profil rond, 3 gorges, aluminium anodisé
Gleuf-profiel rond, 3 gleuven, aluminium geanodiseerd

Art.Nr.	L
44.0903.050.46	5000 mm
44.8903.050.46	cutted / zugeschnitten / coupé / gezaagd






Partition wall systems / Trennwand-Systeme
Supports d'avent / Scheidingswandsystemen




Slot-profile round, 4 slots, aluminium anodized
Nut-Profil rund, 4 Nuten, Aluminium eloxiert
Profil rond, 4 gorges, aluminium anodisé
Gleuf-profiel rond, 4 gleuven, aluminium geanodiseerd

Art.Nr.	L
44.0904.050.46	5000 mm
44.8904.050.46	cutted / zugeschnitten / coupé / gezaagd




Fixation plate round, steel, grey RAL 9006
Befestigungsplatte rund, Stahl, grau RAL 9006
Plaque de fixation ronde, acier, gris RAL 9006
Bevestigingsplaat rond, staal, grijs RAL 9006

Art.Nr.
44.3090.090.36






Fixation plate oval, steel, grey RAL 9006
Befestigungsplatte oval, Stahl, grau RAL 9006
Plaque de fixation ovale, acier, gris RAL 9006
Bevestigingsplaat ovaal, staal, grijs RAL 9006

Art.Nr.
44.3091.150.36



Profile inner nut, aluminium, incl. 2 screws M8 x 20 mm
Profil-Innenkern, Aluminium, mit 2 Schrauben M8 x 20 mm
Âme de profil, aluminium, à 2 vis M8 x 20 mm
Bevestigingskern, aluminium, met 2 bouten M8 x 20 mm

Art.Nr.
44.0100.015.00



GLASSVIT.

Partition wall systems / Trennwand-Systeme
Supports d'auvent / Scheidingswandsystemen

