


pensiline in vetro

tipologie di applicazione - application typologies - Kompositionsmöglichkeiten




Inclinazione pensilina - Slope of the roof - Dachneigung: max 10°
Inclinazione barra tirante - Slope of the rod - Neigung Zugstange: 30° - 46°

OPEN SKY Set SMALL

ART. LG-41VS45

Vetro - Glass - Glas: 2 x 8 mm
Stratificato temperato - heat strengthened glass - TVG
Fori vetro - Glass holes - Lochbohrungen: 22 mm.





229

altre
applicazioni

pensiline in vetro



OPEN SKY Set MEDIUM



ART. LG-41VM60

Vetro - Glass - Glas: 2 x 10 mm
Stratificato temperato- heat strengthened glass - TVG
Fori vetro - Glass holes - Lochbohrungen: 26 mm.

OPEN SKY Set LARGE



ART. LG-41VL80

Vetro - Glass - Glas: 2 x 10 mm
Stratificato temperato- heat strengthened glass - TVG
Fori vetro - Glass holes - Lochbohrungen: 26 mm.

pensiline in vetro
componenti - components - Einzellteile



		<p>Art. LG-41VS10</p> <ul style="list-style-type: none"> • Piastra di fissaggio superiore uguale per tutti e 3 i set • Upper fastening plate suitable for all 3 sets • Befestigungsplatte oben passend für alle 3 Sets
		<p>Art. LG-41VS20</p> <ul style="list-style-type: none"> • Barra tirante con attacco nelle lunghezze Z1-Z25 o a richiesta • Connecting rod with yoke, please quote requested length Z1-Z25 or special size • Zugstange mit Gabel, bitte gewünschte Länge Z1-Z25 oder Sondergröße angeben
		<p>Art. LG-41VL30</p> <ul style="list-style-type: none"> • Fissaggio a punto ø 80 mm. con attacco per set OPEN-Sky LARGE • Point fitting Ø80 mm with mounting link for canopy set OPEN-Sky LARGE • Punkhalter Ø80 mm mit Lasche für Vordach-Set OPEN-Sky MEDIUM <p>Art. LG-41VM30</p> <ul style="list-style-type: none"> • Fissaggio a punto ø 60 mm. con attacco per set OPEN-Sky MEDIUM • Point fitting Ø60 mm with mounting link for canopy set OPEN-Sky MEDIUM • Punkhalter Ø60 mm mit Lasche für Vordach-Set OPEN-Sky MEDIUM <p>Art. LG-41VS30</p> <ul style="list-style-type: none"> • Fissaggio a punto ø 45 mm. con attacco per set OPEN-sky SMALL • Point fitting Ø45 mm with mounting link for canopy set OPEN-Sky SMALL • Punkhalter Ø45 mm mit Lasche für Vordach-Set OPEN-Sky SMALL
		<p>Art. LG-41VS40</p> <ul style="list-style-type: none"> • Piastra di fissaggio inferiore uguale per tutti e 3 i set • Lower fastening plate suitable for all 3 sets • Befestigungsplatte unten passend für alle 3 Sets

pensiline in vetro sky/ecosky

tipologie di applicazione - application typologies
Kompositionsmöglichkeiten





ECOSKY set 1 Small





Vetro / Glass / Glas: 2 x 8
Stratificato temperato / Heat strengthened glass / TVG
Fori vetro / Glass holes / Lochbohrungen: 20 mm

ECOSKY set 2 Small



Vetro / Glass / Glas: 2 x 8
Stratificato temperato / Heat strengthened glass / TVG
Fori vetro / Glass holes / Lochbohrungen: 20 mm

ECOSKY set 3 Medium




Vetro / Glass / Glas: 2 x 8
Stratificato temperato / Heat strengthened glass / TVG
Fori vetro / Glass holes / Lochbohrungen: 20 mm


pensiline in vetro sky/ecosky



tipologie di applicazione - application typologies - Kompositionsmöglichkeiten

SKY M10 set 4




SKY M10 set 5







lunghezza vetro da 1400 a 1500
glass from 1400 to 1500
Glas von 1400 bis 1500



lunghezza vetro da 800 a 1400
glass from 800 to 1400
Glas von 800 bis 1400




Pensiline ad angolo
Corner canopies
Eck-Vordächer




pensiline in vetro sky/ecosky

componenti - components - Einzelteile




ES-G2083E3

Punto di fissaggio superiore
per Ecosky set 1, set 2, set 3.
Upper fastening point
for Ecosky set 1, set 2, set 3.
Befestigungspunkt oben
für Ecosky set 1, set 2, set 3.




ES-G2083E2

Fissaggio a punto Ø 58
per Ecosky set 1, set 2, set 3.
Fissaggio a punto sul vetro
Ø 58 mm.
Point fitting Ø 58 for Ecosky set 1,
set 2, set 3. Point fitting Ø 58 mm.
Punkthalter Ø 58 für Ecosky set 1,
set 2, set 3. Punkthalter Ø 58 mm.




ES-G2083E1

Punto di fissaggio inferiore
per Ecosky set 1, set 2, set 3.
Lower fastening point
for Ecosky set 1, set 2, set 3.
Befestigungspunkt unten
für Ecosky set 1, set 2, set 3.




ES-G2083E - B1 (830 mm)

Barra tirante lunghezza standard
per Ecosky set 1.
Connecting rod standard length
for Ecosky set 1.
Zugstange Lagerlänge
für Ecosky set 1.




ES-G2083E - B2 (1050 mm)

Barra tirante lunghezza standard
per Ecosky set 2.
Connecting rod standard length
for Ecosky set 2.
Zugstange Lagerlänge
für Ecosky set 2.




ES-G2083E (1500 mm)

Barra tirante lunghezza standard
per Ecosky set 3.
Connecting rod standard length
for Ecosky set 3.
Zugstange Lagerlänge
für Ecosky set 3.




S-100

Piastra di fissaggio superiore
per Sky set 4 e set 5.
Upper fastening plate suitable
for Sky set 4, set 5.
Befestigungsplatte oben passend
für Sky set 4, set 5.




S-102

Fissaggio a punto Ø 80 con attacco per Sky set 4, set 5.
Point fitting Ø 80 mm with mounting link for canopy Sky set 4, set 5.
Punkthalter Ø 80 mm mit Lasche für Sky Vordach-Set 4, Set 5.




S-104

Piastra di fissaggio inferiore uguale per i set Sky set 4, set 5.
Lower fastening plate suitable for Sky set 4, set 5.
Befestigungsplatte unten passend für Sky set 4, set 5.




B4-B5

Barra tirante lunghezza standard 1625 mm (B4) 2110 mm (B5) per Sky set 4 e set 5.
Connecting rod standard length 1625 mm (B4) 2110 mm (B5) for Sky set 4, set 5.
Zugstange Lagerlänge 1625 mm (B4) 2110 mm (B5) für Sky set 4, set 5.



S-105

Piastra di fissaggio superiore con doppio aggancio.
Upper fastening plate with 2 eye links.
Befestigungsplatte oben mit 2 Ösen.



S-106

Punto di fissaggio a 2 vie doppio aggancio Ø 60.
Connector for 2 fixed point fittings Ø 60.
2-arm Punkthalter Ø 60.