

maniglioni su misura

pullhandles Stossgriffe



Maniglioni 2-3-4 punti di fissaggio e tubo tagliati su misura a richiesta del cliente. Ø 25 e Ø 35.

Pullhandles 2-3-4 points custom made. Ø 25 or Ø 35.

Stossgriffe 2-3-4 Befestigungspunkte mit einem Sondermass auf Anfrage lieferbar. Ø 25 od. Ø 35.




Foro nel vetro
Hole in the glass
Glasbearbeitung



E' necessario, da parte del cliente, indicare le quote (A) ...
lunghezza totale, (B) ... sporgenza, (C) ... interasse
It is necessary from the customer to indicate the following measures
(A) ... total lenght, (C) ... Ave center to center
Kunden können folgende Masse anzuzeigen (A) ... Länge, (C) ...
Achsabstand

Esempio calcolo interasse
Example ave calculation
Beispiel Achsabstand Berechnung

Lunghezza (A): 2500
Sporgenza (B): 150
Punti fissaggio (C): 3
 $2500 - (150 \times 2) = 2200$
 $2200 : 3 = 733$



maniglioni


duolock





■ 35.DL.13/1125.1500
Duolock con serratura
Incorporata chiave/pomolo
Duolock with lock key/knob
Duolock mit Schloss
Schlüssel/Dreh-knopf

■ 35.DLC.13/1125.1500
Duolock con serratura
Incorporata chiave/chiave
Duolock with lock key/key
Duolock mit Schloss
Schlüssel-Schlüssel



■ 35.R2.13/1125.1500
Duolock senza serratura
Duolock without lock
Duolock ohne Schloss




Chiave-pomolo
Key-knob
Schlüssel/Dreh-knopf




Chiave-chiave
Key-key
Schlüssel-Schlüssel




Senza serratura
Without lock
Ohne Schloss



Lavorazione vetro
Glass preparation
Glasbearbeitung



Lavorazione vetro
Glass preparation
Glasbearbeitung



Lavorazione vetro
Glass preparation
Glasbearbeitung

duolock H


Maniglioni in acciaio inox lunghezza 2200 mm con serratura incorporata, chiusura alto/basso.

Pullhandles in stainless steel length 2200 mm with top/bottom locking.


Versperrender Stossgriffe aus Edelstahl Länge 2200 mm oben/unten Versperrender.



35.HD.13/1125.2200
Duolock H con serratura
incorporata chiave/pomolo
Duolock H with lock key/knob
Duolock H mit Schloss
Schlüssel/Dreh-knopf




Chiave-pomolo
Key-knob
Schlüssel/Dreh-Knopf




Lavorazione vetro
Glass preparation
Glasbearbeitung

35.HDC.13/1125.2200
Duolock H con serratura
incorporata chiave/chiave
Duolock H with lock key/key
Duolock H mit Schloss
Schlüssel-Schlüssel




Chlave-chlave
Key-key
Schlüssel-Schlüssel




Lavorazione vetro
Glass preparation
Glasbearbeitung

35.R2.13/1125.2200
Duolock H senza serratura
Duolock H without lock
Duolock H ohne Schloss



Senza serratura
Without lock
Ohne Schloss



Lavorazione vet
Glass preparatio
Glasbearbeitung



manialoni